

K503 F P SP



Two flavour, floor standing machine.
Perfect for customers looking for a high

performance machine.

Flavour the Evolution



This model allows you to pasteurize the dairy product (one side) while keep running the other side (yogurt and/or sorbet)

Extra flexibility

you'll be able to clean one side only (for example your yogurt and or sorbet), while keep running the dairy product in the other side

Super flexibility

this model reaches max 42 days cleaning interval






*request them from your dealer to always keep your machine hygienically perfect.

K503 F P SP

Features

Defrost system





Optional configurations

Self closing device

The dispensers close automatically stopping the flow of ice cream, eliminating any waste and preventing mess

Dispensing door with three levers

Greater performance with the three lever door, where the middle lever allows for Twin Twist option

	Flavours	Mix Delivery System	Hourly production	Tank Capacity	Cylinder Capacity	Rated Power Input	Fuse Size	Power Supply	Cooling System	Refrigerant	Net Weight	
			(75gr portions)	lt .	/t	kW	Α				kg	
K503 F P SP	2 + 1	Pump	500 + 500*	20 + 20	1,75	5.2	16	400/50/3**	Air	R452***	410	

Benefits

^{*} production capacity depends on the mix used and the room temperature ** other voltages and cycles available upon request *** alternative solutions available

Independent refrigeration system		Allows to work with different products in the two cylinders			
Stainless steel pressurized pump with gears in Advanced Thermoplastic Polymer		The pump ensures the best ice cream texture, quality and high overrun, adjustable from 40% to 80%			
Interactive display		Communicates with the operator delivering instructions and data regarding machine performance			

For easier cleaning procedures, maximum hygiene and Reliability

Tank agitators	Prevent product stratification and helps to reduce foam by
Talik agitators	maintaining a fluid consistency

High efficiency beaters	Stainless steel beaters with double spirals and idler
-------------------------	---

Adjustable ice cream flow	Adjustable product flow to meet your specific dispensing speed and volume requirements
---------------------------	--

Fountain pump and covered containers for toppings	liwo fountain pumps for hot topping and two covered containers for cold toppings
---	--

Direct expansion cooling cylinders	Optimize refrigeration efficiency for fast freeze downtime, less waste of product ensuring higher quality and energy saving
------------------------------------	---

Possibility to heat the cylinders to simplify the cleaning procedure